



## Features

- Features a No-Drill PVC Non-Metallic Equipment Mounting Plate
- Mount Your Equipment Securely Without the Need for Drilling!
- Extra Deep Extended Lid for Increased Equipment Clearance
- Stainless Steel Hinges with High Quality 316 Steel Hinge Pins
- Stainless Steel Quick Release Latches with Padlock Hasps
- Fiberglass Reinforced Polyester, FRP
- Weatherproof, UV Stable and Highly Corrosion Resistant
- Meets NEMA 1, 2, 4, 4X, 12, 13, and IP65, IP66
- Includes Stainless Steel Mounting Feet
- RF Transparent Enclosure
- Pole Mounting Kit Available

## Description

---

The **Altelix NF141210M** NEMA 4X Weatherproof Enclosure with Non-Metallic Equipment Mounting Plate features a non-metallic and RF transparent 0.25" thick PVC no-drill equipment mounting plate.

This RF transparent enclosure and non-metallic equipment mounting plate are ideal for wireless applications including WiFi, RFID, IoT, Cellular and more. The non-metallic materials will not interfere with the operation of wireless gear. In addition, mounting radios to the PVC equipment mounting plate can be done simply by using self-tapping screws.

### Extreme Protection Built to Last

This rugged JIC style NEMA box is molded from durable UV stable and corrosion resistant fiberglass reinforced polyester (FRP) with a UL94-5V flame rating. The FRP material is dent-proof and can be easily drilled and modified by the installer as needed. These enclosures feature improved stainless steel hinges with high quality 316 steel hinge pins for lasting durability in even the harshest of coastal conditions. The gasketed door includes stainless steel quick release latches with padlock hasps.

### Increased Interior Space

The NF141210 series enclosures feature an extra deep lid, almost 2 inches deeper than our NF141208 series enclosures. With the generous size of this enclosure and extended lid the NF141210 can accommodate a wide range of equipment.

### Mounting

Stainless steel brackets are included for secure wall mounting. Optional flange and pole mounting kits are available.

## Specifications

---

<b>Material</b>	Fiberglass Reinforced Polyester
<b>Color</b>	Gray
<b>Outer Dimensions</b>	15.7 x 13.8 x 10.7 Inches (401 x 352 x 271 mm)
<b>Inner Dimensions*</b>	13.0 x 11.0 x 9.7 Inches (330 x 279 x 246 mm)
<b>Mounting Plate Material</b>	0.25 inch (6.4 mm) PVC
<b>Mounting Plate Dimensions</b>	10.9 x 12.8 inch (267 x 324 mm)
<b>Weight</b>	12.2 lbs. (5.5 kg)
<b>Ratings</b>	Meets NEMA 1, 2, 4, 4X, 12, 13, and IP65, IP66
<b>Flame Rating</b>	UL94-5V
<b>Industry Certifications</b>	CE

\*Interior dimensions represent maximum space available for equipment.